




Price list - eu
2023

KITCHEN



COMPOSIZIONE BASE 3 MODULI - ASSEMBLY OF A BASE WITH 3 MODULES



Struttura in acciaio zinco magnesio e alluminio, verniciatura nero RAL 9004 alte temperature testurizzato.
6 ante a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion.
Misure 2400x600x650 h - peso 140 kg.
Dimensioni interne del vano 74x52x48,5

*Structure in zinc magnesium steel and aluminum, black RAL 9004 high temperature, textured painting.
6 swing doors with recessed handles, fast release 125° opening and blumotion latch.
Dimensions: H 2400x600x650 weight 140 kg.
Internal dimensions of the compartment 74x52x48,5*

COMPOSIZIONE BASE 2 MODULI - ASSEMBLY OF A BASE WITH 2 MODULES



Struttura in acciaio zinco magnesio e alluminio, verniciatura nero RAL 9004 alte temperature testurizzato.
4 ante a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion.
Misure 1600x600x650 h - peso 95 kg.
Dimensioni interne del vano 74x52x48,5

*Structure in zinc magnesium steel and aluminum, black RAL 9004 high temperature, textured painting.
4 swing doors with recessed handles, fast release 125° opening and blumotion latch.
Dimensions: H 1600x600x650 weight 95 kg.
Internal dimensions of the compartment 74x52x48,5*

EQUIPAGGIAMENTI DISPONIBILI - AVAILABLE EQUIPMENT



2 hotplates + 1 grill

Modulo Barbeque

Struttura in acciaio alluminato/acciaio inox, verniciatura nero RAL 9004 alte temperature Testurizzato. Bruciatori a Gas con potenza totale 6 kw con sistema a irradiazione Fire Core esclusivo che sfruttando l'abbinamento tra speciali bruciatori e deflettori che agiscono per irradiazione, permette di avere una temperatura uniforme su tutta la superficie con caratteristiche di bassi consumi e efficienza sviluppata dai bruciatori da 2kw.

Misure 800x600x250 h - peso 52 kg.


Ugelli in dotazione Gas: G20 (GAS GPL) - Category: I3B/P(30), I3+(28..30/37)

Barbeque module

Aluminium/Stainless steel structure, black RAL 9004 black RAL 9004 high temperature, textured painting. 6kw total potency gas burners with exclusive irradiance Fire Core system, based on the combined use of special burners and deflectors, which allows the maintaining of a stable temperature all over its surface. The system is characterised by low consumption and efficiency, guaranteed by 2kw burners.

Dimensions 800x600x250 h - weight: 52 kg.

Nozzles supplied Gas: G20 (GAS GPL) - Category: I3B/P(30), I3+(28..30/37)



Modulo Lavello

Vaschetta (Foster) in acciaio inox AISI 304 - Sottotop
Finitura spazzolato - 1 vasca 340x400 mm
Miscelatore monocomando per lavello con canna piatta girevole. Flessibili di alimentazione F3/8".

Finitura acciaio inox.


Misure 800x600x250 h - peso 37 Kg.

Sink module

*Stainless steel AISI 304 sink (Foster) - Undermount sink
Brushed finish- 1 basin 340X400 mm
Single-lever sink mixer, flat swivel spout. 3/8" female connection hoses.*

Stainless steel finishing.

Dimensions 800x600x250 h - weight 37 kg.



EQUIPAGGIAMENTI DISPONIBILI - AVAILABLE EQUIPMENT


Modulo Piano cottura ad induzione

4 Zone cottura da 1800/3000 W
Potenza massima assorbita regolabile a 5 livelli
(2.8 kW / 3.5 kW / 4.5 kW / 5.8 kW / 7 kW)
Funzione Booster - 2 zone Bridge
Vetroceramica nero sp 4mm
Misure 800x600x250 h - peso 39 kg.



Induction hob module

4 cooking zones 1800/3000 W
Maximum power input adjustable to 5 levels
(2.8 kW / 3.5 kW / 4.5 kW / 5.8 kW / 7 kW)
Booster function - 2 Bridge zones
4 mm glass-ceramic
Dimensions 800x600x250 h - weight 39 kg.



bridge



booster




slide touch



power
management

Modulo piano lavoro


Modulo con piano in gres spessore
9 mm colore effetto cemento.
Misure 800x600x250 h - peso 34 kg.



Neutral Module

Neutral module with gres top 9 mm thick concrete
effect color. Dimensions: 800x600x250 - weight 34 kg.

EQUIPAGGIAMENTI DISPONIBILI - AVAILABLE EQUIPMENT



Snack


piano a sospensione con top in gres
misure disponibili:

1600x350x130 - cucina 2 moduli

2400x350x130 - cucina 3 moduli

Snack

*Hanging kitchen gres top:
dimensions 1600x350x130, 2 modules
dimensions 2400x350x130, 3 modules*



Penisola


piano a sospensione con top in gres
misure 1200x950x130

*abbinabile solo allo snack e disponibile solo
al modello 3 moduli

Peninsula

Hanging gres top dimensions 1200x950x130

**only compatible with the snack and just available in the
3 modules model*



Base angolo con piano lavoro

base chiusa con piano in gres spessore
9 mm colore effetto cemento
misura 600x600x900 - peso 75 kg

*La base angolo non è predisposta per l'applicazione di
penisola o snack. Utilizzabile esclusivamente come
connessione tra basi 2 moduli e basi 3 moduli.

Corner base with neutral countertop

*closed base with gres top 9 mm thick concrete
dimensions 600x600x900 - weight 75 kg*

**The corner base is not suitable for peninsula or snack bar
and can be used as a connector between bases with 3 mo-
dules or/and bases with 2 modules*

EQUIPAGGIAMENTI DISPONIBILI - AVAILABLE ACCESSORIES



Cantina

Capacità: 25 litri - 8 bottiglie
Temperatura regolabile da 8°C a 18°C. Schermo LED
Funzionamento termoelettrico, sistema antivibrazione
4 ripiani in legno.

Wine fridge

*Volume capacity: 25 liters-8 bottles
Adjustable temperature from 8°C to 18°C. LED Screen
Thermoelectric functioning, anti-vibration system
4 wooden shelves.*



Frigorifero mini bar

Capacità volume 25 litri
peso netto 12 kg

Minibar fridge

*Volume capacity 25 liters
Net weight 12 kg*




Ice maker

Capacità di produzione giornaliera: 12 kg
Capacità vassoio d'acqua: 2.1L
Ciclo di produzione: 10 a 13 minuti
2 formati di ghiaccio potenza: 150W

Ice maker

*Daily production capacity: 12 kg
Daily production capacity: 2.1L
Production cycle: 10 to 13 minutes
2 ice formats*

ELEMENTI D'ARREDO - FURNISHING ELEMENTS



Modulo scaffale 120x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.

Scaffale con mensole metalliche removibili e regolabili.


misure 1220x1900x350 - peso 50 kg

Shelf module 120x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.

Shelf with removable and adjustable metal shelves.

dimensions 1220x1900x350 - weight 50 kg



Pensile con anta a ribalta 118x36

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.

Anta a ribalta con maniglia ad incasso gola, apertura 107° e chiusura blumotion.

misure 1180x365x350 - peso 20 kg

*abbinabile solo al modulo scaffale 120x190

Suspended cabinet with flap door 118x36

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.

Flap door with recessed handles, 107° opening and blumotion latch.

dimensions 1180x365x350 - weight 20 kg

*only compatible with shelf module 120x190

ELEMENTI D'ARREDO - FURNISHING ELEMENTS

Modulo scaffale 80x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.

Scaffale con mensole metalliche removibili e regolabili.


misure 800x1900x350 - peso 40 kg

Shelf module 80x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.

Shelf with removable and adjustable metal shelves.

dimensions: 800x1900x350 - weight 40 kg




Mobile base 76x72

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.

Anta a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion.

misure 760x700x350 - peso 25 kg

*abbinabile solo al modulo scaffale 80x190



Cabinet base 76x72


Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.

Swing door with recessed handles, fast release 125° opening and blumotion latch.

dimensions 760x700x350 - weight 25 kg

*only compatible with shelf module 80x190

ELEMENTI D'ARREDO - FURNISHING ELEMENTS



Modulo colonna

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato. Colonna con mensole metalliche removibili e regolabili. Anta a battente reversibile con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion. misure 770x600x1900 - peso 90 kg

*possibilità di inserire elettrodomestici: frigorifero (596x550x860), lavastoviglie (600x600x820)

Column module

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. Column with removable and adjustable metal shelves. Swing reversible door with recessed handles, fast release 125° opening and blumotion latch. dimensions 770x600x1900 - weight 90 kg

*possibiliy of including appliances: fridge (596x550x860) dishwasher (600x600x820)

Led

Optional kit illuminazione a led, nascosto dal battiscopa, ip 65 luce calda 3000K, alimentazione 220w.

Telecomando con dimer di intensità di illuminazione. Disponibile per base 2 moduli, base 3 moduli, base angolo, moduli scaffale e modulo colonna.

Led


Optional led lighting kit, hidden by skirting board, ip 65 warm light 3000K, 220w power supply.

Remote control with lighitng intensity dimer. Available for base with 2 modules, base with 3 modules, corner base, shelf module and column module.

Price list - eu

COMPOSIZIONI CONSIGLIATE - SUGGESTED SET COMBINATIONS

Barbecue + Lavello + Piano induzione / *barbecue + sink + induction hob*




dimensions 2400x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKBLPI-01	with doors in steel (magnesit)	16.464 €
TIKBLPI-02	with doors in accoya wood	17.278 €

Barbecue + Lavello + Piano neutro / *barbecue + sink + neutral countertop*




dimensions 2400x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKBLPN-01	with doors in steel (magnesit)	15.242 €
TIKBLPN-02	with doors in accoya wood	16.056 €

Piano induzione + Lavello + Piano neutro / *induction hob + sink + neutral countertop*



dimensions 2400x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKPILPN-01	with doors in steel (magnesit)	15.048 €
TIKPILPN-02	with doors in accoya wood	15.862 €

COMPOSIZIONI CONSIGLIATE - *SUGGESTED SET COMBINATIONS*

Piano snack / *Snack*



dimensions 2400x350x130

CODE: TIKPS₃-01

2.636 €

Piano snack + Piano penisola / *Snack + peninsula*




dimensions 3600x950x900

CODE: TIKPSP-01

Penisola non applicabile al modulo barbecue.
Peninsula cannot be linked to the barbecue module.

5.117 €

Base angolo con piano lavoro / *Corner base with neutral countertop*



dimensions 600x600x900


CODE: TIKANG-01

La base angolo non è predisposta per l'applicazione di penisola o snack.
Utilizzabile esclusivamente come connessione tra basi 2 moduli e basi 3 moduli.
The corner base is not suitable for peninsula or snack bar and can be used as a connector between bases with 3 modules or/and bases with 2 modules.

2.669 €

COMPOSIZIONI CONSIGLIATE - SUGGESTED SET COMBINATIONS

Barbecue + Lavello / *barbecue + sink*




dimensions 1600x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKBL-01	with doors in steel (magnesit)	11.408 €
TIKBL-02	with doors in accoya wood	11.986 €

Lavello + Piano induzione / *Sink + induction hob*




dimensions 1600x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKLPI-01	with doors in steel (magnesit)	11.415 €
TIKLPI-02	with doors in accoya wood	11.992 €

Barbecue + Piano neutro / *barbecue + neutral countertop*




dimensions 1600x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKBPN-01	with doors in steel (magnesit)	11.119 €
TIKBPN-02	with doors in accoya wood	11.696 €

COMPOSIZIONI CONSIGLIATE - *SUGGESTED SET COMBINATIONS*

Lavello + Piano neutro / *Sink + neutral countertop*



dimensions 1600x600x900

Possibilità di invertire i moduli.
Possibility to mix the modules.

TIKLPN-01	with doors in steel (magnesit)	10.417 €
TIKLPN-02	with doors in accoya wood	10.995 €

Piano snack / *Snack*



dimensions 1600x350x130

CODE: TIKPS2-01


2.472 €

ELEMENTI D'ARREDO - *FURNISHING ELEMENTS*



Modulo scaffale 120x190
Shelf module 120x190 (TIKSCA120)

dimensions 1220x1900x350




4.643 €



Pensile con anta a ribalta 118x36
Suspended cabinet with flap door 118x36 (TIKSCA120-P)

dimensions 1180x365x350




1.393 €



N°2 Mensole scaffale 120x35
N°2 Shelf for module 120x35 (TIKSCA120-M)

dimensions 1180x50x350



793 €




Kit giunzione scaffali + zoccoli aggiuntivi
Shelf joint kit + additional plinths (TIKSCAKIT)

dimensions 300x150x60



248 €

ELEMENTI D'ARREDO - FURNISHING ELEMENTS



Modulo scaffale 80x190
Shelf module 80x190 (TIKSCA80)

dimensions 800x1900x350



4.298 €



Mobile base 76x70
Cabinet base 76x70 (TIKSCA80-B)

dimensions 760x700x350



1.231 €



N°2 Mensole scaffale 80x35
N°2 Shelf for module 80x35 (TIKSCA80-M)

dimensions 800x1900x350



656 €



Modulo colonna / Column module (TIKMC)

dimensions 770x600x1900



3.298 €



Madia / Kitchen chest (TIKMAD)

dimensions 1600x600x740



TIKMAD-01 with doors in steel (magnesit) 7.387 €
TIKMAD-02 with doors in accoya wood 7.964 €

ACCESSORI DISPONIBILI - AVAILABLE OPTIONAL

Cantina / *Wine fridge* (TIKACW-01)

dimensions 510x260x470  11 |  0,08

504 €

Frigorifero mini bar / *Minibar fridge* (TIKACM-01)

dimensions 350x385x463  12 |  0,09

873 €

Macchina per il ghiaccio / *Ice maker* (TIKACI-01)

dimensions 240x360x320  11 |  0,06

477 €

Tagliere copri lavello (TIKACT-01)

dimensions 360x420x20  1 |  0,01

240 €

Tagliere copri piano induzione (TIKACT-02)

dimensions 620x550x20  1 |  0,01

240 €

ACCESSORI DISPONIBILI - AVAILABLE OPTIONAL

Kit luci (2 moduli) / <i>Lights kit (2 modules)</i> (TIKACL-01)	741 €
Kit luci (3 moduli) / <i>Lights kit (3 modules)</i> (TIKACL-02)	856 €
Kit luci (angolo) / <i>Lights kit (corner)</i> (TIKACL-03)	429 €
Kit luci (modulo colonna) / <i>Lights kit (column module)</i> (TIKACL-04)	485 €
Piastra / <i>Hotplate</i> (TIKACPI-01)	122 €
Griglia / <i>Grill</i> (TIKACGR-02)	317 €
Pietra ollare / <i>Soapstone</i> (TIKACPO-01)	194 €
Cover: (consegna 4-6 settimane / <i>delivey 4-6 week</i>)	485 €
Composizione 2 moduli / <i>assembly with 2 modules</i> (TIKACCOP-01)	569 €
Composizione 2 moduli + Piano snack (TIKACCOP-02) <i>Assembly with 2 modules + snack</i>	581 €
Composizione 3 moduli / <i>assembly with 3 modules</i> (TIKACCOP-03)	663 €
Composizione 3 moduli + Piano snack (TIKACCOP-04) <i>Assembly with 3 modules + snack</i>	801 €
Composizione 3 moduli + Piano snack + penisola (TIKACCOP-05) <i>Assembly with 3 modules + snack + peninsula</i>	

ACCESSORI DISPONIBILI - AVAILABLE OPTIONAL

Kit ricambio ugelli FGA "A" / *nozzle replacement kit FGA "A"* (TIKACN-01) **UGELLI PREINSTALLATI IN DOTAZIONE / PRE-INSTALLED NOZZLES SUPPLIED**

Gas: G20 (GAS GPL) - Category: I3B/P(30), I3+(28..30/37) 53 €
Country: AL, BE, BG, CH, CY, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IS, IE, IT, LT, LU, LV, MK, MT, NL, NO, PT, RO, SE, SI, SK, TR

Kit ricambio ugelli FGA "B" / *nozzle replacement kit FGA "B"* (TIKACN-02)

Gas: G30/31 (GAS GPL) - Category: I3B, P(37) 53 €
Country: PL

Kit ricambio ugelli FGA "C" / *nozzle replacement kit FGA "C"* (TIKACN-03)

Gas: G20 (GAS GPL) - Category: I3B, P(50) 58 €
Country: AT, DE, CH, SK

Kit ricambio ugelli FGA "D" / *nozzle replacement kit FGA "D"* (TIKACN-04)

Gas: G20 (GAS METANO) - Category: I2H, I2E, I2E+ 53 €
Country: AL, AT, BE, BG, CH, CY, CZ, DK, EE, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MK, NO, PL, PT, RO, SE, SI, SK, TR

Kit ricambio ugelli FGA "E" / *nozzle replacement kit FGA "E"* (TIKACN-05)

Gas: G25.1 (GAS METANO) - Category: I2S 58 €
Country: HU

Kit ricambio ugelli FGA "F" / *nozzle replacement kit FGA "F"* (TIKACN-06)

Gas: G25.1 (GAS METANO) - Category: I2S 53 €
Country: HU

ACCESSORI DISPONIBILI - AVAILABLE OPTIONAL

Kit ricambio ugelli FGA "G" / *nozzle replacement kit FGA "G"* (TIKACN-07)

Gas: G20 (GAS METANO) - Category: I2H, P(25)

Country: HU

53 €

Kit ricambio ugelli FGA "H" / *nozzle replacement kit FGA "H"* (TIKACN-08)

Gas: G20 (GAS METANO) - Category: I2H, P(25)

Country: NL

53 €

Magnesit

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superfici con un panno morbido utilizzando acqua o detergenti neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere.

Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.

Gres

Per la pulizia dei piani in gres si consiglia l'utilizzo di un panno inumidito con acqua e detergente neutro da risciacquare ed asciugare con un panno asciutto. Nella fase di lavaggio porre particolare attenzione al fine di evitare l'accumulo di sporco o calcare.

Maintenance: For the cleaning of stoneware tops it is advisable to use a damp cloth with water and a neutral detergent to be rinsed and dried with a dry cloth. During the washing phase, pay particular attention to avoid the accumulation of dirt.

GENERAL CONDITIONS OF SALE DELIVERY INCLUDED

1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti spa reserves the right to discontinue or change the models in its collections at any time without advance notice.

2. The prices of the standard models are expressed in the specific price list that Talenti spa will provide. Concerning customized items the offer will be immediately made and provided by Talenti spa on request of the customer.

Prices are ex works. In case of delivery with hydraulic bank the quotations of our freight forwarder will be applied.

3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti spa will not accept any claims presented more than 5 (five) days after receipt of the goods.

4. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.

5. Transport terms in France, Germany, Switzerland, Austria:

Free port for orders starting from € 1.800,00.

For orders under € 600,00 a € 80,00 transport fee will be charged.

For orders from € 600,00 to € 1.800,00 a 8 % transport fee will be charged.

6. Transport terms in UK:

Free port for orders over € 3.000,00.

For orders from € 0 to € 1.000,00 a € 90,00 transport fee will be charged.

For orders from € 1.000,00 to € 3.000,00 a 5 % transport fee will be charged.

7. The Court of Terni (Italy) will be exclusively competent for any disagreements.

For different Countries please refer to Talenti sales-managers

NOTICE UNDER DL 196/2003, THE PRIVACY LAW

Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection. Your information will be handled to fulfill our administrative, accounting and tax obligations and to fulfill our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.

The owner of the information for handling purposes is Talenti Spa, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy. You may contact the owner to assert your rights under article 7 of DL 196/2003.