

Talenti[®]


OUTDOOR LIVING

Price list - eu
2024


ACCESSORIES

Technical information


Legenda / Legend




Peso netto KG
Net weight KG




Unità per imballo
Unit for box




Resistente alle intemperie
Weather-resistant




Impilabile
Stackable




Pieghevole
Folding




Imbottitura in dry foam
Quick dry foam padding



Articolo da assemblare
To assemble




Piedini con ruote
Feet with wheels



Provisto di illuminazione
With lighting system



Alimentazione a batteria
Battery powered



Alimentazione a 220V
220V power supply

Per ogni articolo sono indicate caratteristiche, dimensioni, peso, numero dei pezzi nell'imballo, materiali e colori.

For each item are provided features, sizes, weight, packaging, material, available colours.

INDEX

Box	04
Cart	06
Carpets	08
Gabri	11
Jackie	13
Lamp	16
MrX	33
Parasol	35
Partition//Scacco	46
Path	48
Plaza	50
Ray	52
Showergate	54
Skyline	56
Tikal	59

Accessoriescollection

//Box

Catalogue page 257

CARATTERISTICHE

Baule realizzato con struttura in alluminio bianco (A12) o tortora (A13) con rivestimento in textilene in tinta o bianco (T1) o tortora (T2)

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Box is characterized by an aluminium frame in white colour (A12) or dove colour (A13) and covering in textilene (T1) or (T2).

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

BOX / CODE: BOXAL01

15 KG | 1 UNIT | 0,58 MC



BOXAL01-B
BOXAL01-T
BOXAL01-G

White
Dove
Graphite

1528 €



Width	Depth	Height	
130	60	58	cm
51.2	23.6	22.8	inch

Accessoriescollection

//Cart

Catalogue page 243

CARATTERISTICHE

Carrello con struttura in alluminio verniciata in colore bianco (A12) o grafite (A14).

Piano con inserti in teak.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES


Cart with an aluminum frame which is painted in white colour (A12) or graphite (A14).

Top with teak inserts.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

CART / CODE: ACCCAR

14 KG | 1 UNIT | 0,09 MC



ACCCAR-B
ACCCAR-T
ACCCAR-G

White
Dove
Graphite

763 €

Width	Depth	Height	H.whe	
90	55	76	22	cm
35.4	21.7	29.9	8.7	inch

Accessoriescollection

//Carpets

Catalogue page 105

CARATTERISTICHE

Tutti i tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa.

Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un'elevata stabilità ai raggi UV.

Tappeti disponibili nelle misure 400x300, 300x200, 160x240 e tonda diametro 300 e 200cm,

Nel modello Quadro colore canvas (F1), light grey (F2), dark grey (F3), red (F7) e dark green (F8) nel modello Ribs colore canvas (F4), light grey (F5), dark grey (F6) e dark green (F9).

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial.

The PP yarn ensures an excellent performance in terms of long-lasting durability, weather and UV rays resistance.


Available sizes: 400x300, 300x200, 160x240 and round ø300, 200 cm.

The Quadro Model is available in: canvas colour (F1), light grey (F2), dark grey (F3), red (F7), dark green (F8).

The Ribs Model is available in: canvas (F4), light grey (F5), dark grey (F6), dark green (F9).

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

CARPET QUADRO 400X300 / CODE: TAPQ3



Width | Depth
 400 | 300 cm
 157.5 | 118.1 | inch


48 KG | 1 UNIT | 0,32 MC



TAPQ3-F1 Canvas
 TAPQ3-F2 Light grey
 TAPQ3-F3 Dark grey
 TAPQ3-F7 Red
 TAPQ3-F8 Dark green

2.837 €

CARPET QUADRO 300X200 / CODE: TAPQ1



Width | Depth
 300 | 200 cm
 118.1 | 78.7 | inch


30 KG | 1 UNIT | 0,27 MC



TAPQ1-F1 Canvas
 TAPQ1-F2 Light grey
 TAPQ1-F3 Dark grey
 TAPQ1-F7 Red
 TAPQ1-F8 Dark-green

1.638 €

CARPET QUADRO 240X160 / CODE: TAPQ2



Width | Depth
 240 | 160 cm
 94.5 | 63.0 | inch


15 KG | 1 UNIT | 0,18 MC



TAPQ2-F1 Canvas
 TAPQ2-F2 Light grey
 TAPQ2-F3 Dark grey
 TAPQ2-F7 Red
 TAPQ2-F8 Dark green

1.066 €

CARPET QUADRO DIAM. 300 / CODE: TAPQ4



Width | Depth
 300 | 300 cm
 118.1 | 118.1 | inch


50 KG | 1 UNIT | 0,32 MC



TAPQ4-F1 Canvas
 TAPQ4-F2 Light grey
 TAPQ4-F3 Dark grey
 TAPQ4-F8 Dark-green

2.298 €

CARPET QUADRO DIAM. 200 / CODE: TAPQ5



Width | Depth
 200 | 200 cm
 78.7 | 78.7 | inch


30 KG | 1 UNIT | 0,27 MC



TAPQ5-F1 Canvas
 TAPQ5-F2 Light grey
 TAPQ5-F3 Dark grey
 TAPQ5-F8 Dark-green

1.078 €

CARPET RIBS 400X300 / CODE: TAPR3



Width | Depth
 400 | 300 cm
 157.5 | 118.1 | inch

48 KG | 1 UNIT | 0,32 MC




TAPR3-F4 Canvas
 TAPR3-F5 Light grey
 TAPR3-F6 Grey
 TAPR3-F9 Dark grey

2.837 €

CARPET RIBS 300X200 / CODE: TAPR1

30 KG | 1 UNIT | 0,27 MC



TAPR1-F4
TAPR1-F5
TAPR1-F6
TAPR1-F9


Canvas
Light grey
Grey
Dark green

1638 €

Width | Depth
300 | 200 cm
118.1 | 78.7 inch

CARPET RIBS 240X160 / CODE:TAPR2

15 KG | 1 UNIT | 0,18 MC



TAPR2-F4
TAPR2-F5
TAPR2-F6
TAPR2-F9

Canvas
Light grey
Grey
Dark green

1066 €

Width | Depth
240 | 160 cm
94.5 | 63.0 inch

Gabri collection

Catalogue page 123

GABRI COFFEE TABLE H45 / CODE: GABTL45



11 KG | 1 UNIT | 0,10 MC



GABTL45-S32
GABTL45-S33
GABTL45-S34

Beige
Grey
Red

642 €

Width | Depth | Height
40 | 40 | 45 cm
15.7 | 15.7 | 17.7 inch

GABRI COFFEE TABLE H55 / CODE: GABTL55



12 KG | 1 UNIT | 0,12 MC



GABTL55-S32
GABTL55-S33
GABTL55-S34

Beige
Grey
Red

686 €

Width | Depth | Height
40 | 40 | 55 cm
15.7 | 15.7 | 21.7 inch

Jackiecollection

Catalogue page 75

CARATTERISTICHE

Tutti gli articoli sono caratterizzati da struttura in acciaio inox o in alluminio rivestita da corde intracciate a mano.

Poltrona living con struttura in acciaio inox colore bianco (I4) o grafite (I5), disponibile in quattro varianti colore:

Struttura bianca con schienali e seduta rivestiti in corda colore tortora (R15) o grigio chiaro (R16); struttura grafite con rivestimento in colore grigio scuro (R17)

o verde militare (R18).

Sacco con imbottitura in quick dry foam e rivestimento in corda.

Lampade con struttura in acciaio inox e rivestimento in corda.

Illuminazione prevista a led luce calda. Alimentazione a batteria ricaricabile.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

All the items have an inox or aluminium frame covered by handcrafted waving ropes.

Living armchairs have a white (I4) or graphite (I5) inox frame. They're available in four colour options:

white frame with seat and back covered by dove (R15) or light grey (R16) ropes; graphite frame with seat and back covered by dark grey (R17)

or hunter green (R18) ropes.

Sacco bags have quick dry foam padding and rope covering.

Lamps have inox frame and rope covering. Warm light led provided. Powered by rechargeable battery.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

JACKIE BEAN BAG / CODE: JACBAG



30 KG | 1 UNIT | 1,08 MC



JACBAG-T
JACBAG-GS
JACBAG-V

Dove
Dark grey
Hunter green

2.698 €

Width | Depth | Height
167 | 117 | 62 cm
65.7 | 46.1 | 24.4 inch

40" HC - 64 pcs

JACKIE LIVING ARMCHAIR / CODE: JACPL



14 KG | 2 UNIT | 0,54 MC



JACPL-T
JACPL-GC
JACPL-GS
JACPL-V

White-beige
White-light grey
Graphite-dark grey
Graphite- hunter green

1288 €

Width | Depth | Height | H.arm | H.seat
78 | 80 | 73 | 57 | 35 cm
30.7 | 31.5 | 28.7 | 22.4 | 13.8 inch

40" HC - 160 pcs

JACKIE POUF SMALL / CODE: JACPUFP



5 KG | 1 UNIT | 0,09 MC



JACPUFP-T
JACPUFP-GC
JACPUFP-GS
JACPUFP-V

Dove
Light grey
Dark grey
Hunter green

637 €

Width | Depth | Height
56 | 56 | 26 cm
22.0 | 22.0 | 10.2 inch

40" HC - 700 pcs

JACKIE POUF MEDIUM / CODE: JACPUFM



7 KG | 1 UNIT | 0,09 MC



JACPUFM-T
JACPUFM-GC
JACPUFM-GS
JACPUFM-V

Dove
Light grey
Dark grey
Hunter green

1.016 €

Width | Depth | Height
64 | 64 | 32 cm
25.2 | 25.2 | 12.6 inch

40" HC - 450 pcs

JACKIE POUF BIG / CODE: JACPUFG



11 KG | 1 UNIT | 0,28 MC



JACPUFG-T
JACPUFG-GC
JACPUFG-GS
JACPUFG-V

Dove
Light grey
Dark grey
Hunter green

1.378 €

Width | Depth | Height
83 | 83 | 38 cm
32.7 | 32.7 | 15.0 inch

40" HC - 215 pcs

JACKIE LAMP SMALL / CODE: JACLAMPP

7 KG | 1 UNIT | 0,15 MC | LED 5W 2700K



JACLAMPP-T Dove
 JACLAMPP-GC Light grey
 JACLAMPP-GS Dark grey

1098 €

Width | Depth | Height
 55 | 55 | 42 cm
 21.7 | 21.7 | 16.5 inch

40" HC - 450 pcs

JACKIE LAMP BIG / CODE: JACLAMPG

11 KG | 1 UNIT | 0,33 MC | LED 5W 2700K



JACLAMPG-T Dove
 JACLAMPG-GC Light grey
 JACLAMPG-GS Dark grey

1428 €

Width | Depth | Height
 70 | 70 | 60 cm
 27.6 | 27.6 | 23.6 inch

40" HC - 210 pcs

JACKIE FLOOR LAMP / CODE: JACLAMPT

16 KG | 1 UNIT | 0,48 MC | LED 5W 2700K



JACLAMPT-GC White-light grey
 JACLAMPT-GS Graphite- light grey

1398 €

Width | Depth | Height
 55 | 55 | 150 cm
 21.7 | 21.7 | 59.1 inch

40" HC - 144 pcs

JACKIE BASKET / CODE: JACBAK

4 KG | 1 UNIT | 0,11 MC



JACBAK-T Dove
 JACBAK-GC Light grey
 JACBAK-GS Dark grey

636 €

Width | Depth | Height
 55 | 55 | 30 cm
 21.7 | 21.7 | 11.8 inch

JACKIE PLANTER / CODE: JACPLAN

17 KG | 1 UNIT | 0,48 MC



JACPLAN-GC White- Light grey
 JACPLAN-GS Graphite- dark grey

1858 €

Width | Depth | Height
 90 | 40 | 120 cm
 35.4 | 15.7 | 47.2 inch

40" HC - 105 pcs

Lampcollection

//Casilda

Design Ramón Esteve

Catalogue page 137

CARATTERISTICHE

Lampade caratterizzate da una struttura in acciaio inox verniciata a polvere in colore mokka (I2), oro (I3), bianco (I4) e grafite (I5). Lampade con illuminazione led con alimentazione a batteria ricaricabile. Potenza 2W, 6W, 28W, 2800-3000°K. Striscia led IP65. Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lamps in stainless steel painted in the following colours: mokka colour (I2), gold colour (I3), white colour (I4), graphite colour (I5). Led light with powered by rechargeable battery. 2W, 6W, 28W, 2800-3000°K. The led stripe is IP65. For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

CASILDA LAMP L / CODE: CASILAMPL



Width	Depth	Height	
23	20	175	cm
9.1	7.9	68.9	inch

10 KG | 1 UNIT | 0,12 MC | LED 28W 2800K



CASILAMPL-I5	Graphite	2.058 €
CASILAMPL-I4	White	
CASILAMPL-I2	Mokka	
CASILAMPL-I3	Gold	2.166 €

CASILDA LAMP S / CODE: CASILAMPS



Width	Depth	Height	
63	15	40	cm
24.8	5.9	15.7	inch

5 KG | 1 UNIT | 0,04 MC | LED 6W 2800K



CASILAMPS-I5	Graphite	1.178 €
CASILAMPS-I4	White	
CASILAMPS-I2	Mokka	
CASILAMPS-I3	Gold	1.268 €

CASILDA LAMP XS / CODE: CASILAMPXS



Width	Depth	Height	
23	20	40	cm
9.1	7.9	15.7	inch

2,5 KG | 1 UNIT | 0,02 MC | LED 2W 2800K



CASILAMPXS-I5	Graphite	948 €
CASILAMPXS-I4	White	
CASILAMPXS-I2	Mokka	
CASILAMPXS-I3	Gold	998 €

Lampcollection

//Cleo

Design Marco Acerbis

Catalogue page 155

CARATTERISTICHE

Lanterna caratterizzata da struttura in acciaio inox verniciata a polvere in colore bianco (I4), tortora (I6) e grafite (I5).

Lampade con illuminazione led con alimentazione a batteria ricaricabile. Potenza 3W, 7W 2800°K IP65.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lantern made out of stainless steel painted in white colour (I4), graphite colour (I5), dove colour (I6).

Arc and floor lamp are made in aluminium painted in white colour (A12), graphite colour (A14).

Led light with powered by rechargeable battery. 3,5W, 7W, 12W, 2800°K IP65.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

CLEO ALU LANTERN H66 / CODE: CLEL01

9 KG | 1 UNIT | 0,11 MC | LED 3,5W 2800K



*dimable light
40" HC - 550 pcs

CLEL01-B White
CLEL01-G Graphite
CLEL01-T Dove

585 €

Width | Depth | Height
35 | 35 | 66 cm
13.8 | 13.8 | 26.0 inch

CLEO ALU LANTERN H90 / CODE: CLEL02

10 KG | 1 UNIT | 0,17 MC | LED 7W 2800K



*dimable light
40" HC - 400 pcs

CLEL02-B White
CLEL02-G Graphite
CLEL02-T Dove

972 €

Width | Depth | Height
40 | 40 | 90 cm
15.7 | 15.7 | 35.4 inch

CLEO SOFT ALU LANTERN H120 / CODE: CLEL03

12 KG | 1 UNIT | 0,28 MC | LED 7W 2800K



*dimable light
40" HC - 210 pcs

CLEL03-B White
CLEL03-G Graphite
CLEL03-T Dove

1264 €

Width | Depth | Height
45 | 45 | 120 cm
17.7 | 17.7 | 47.2 inch

CLEO SOFT ALU ARC LAMP / CODE: CLEALUL02

9 KG | 1 UNIT | 0,11 MC | LED 12W 2800K



CLEALUL02-BI White
CLEALUL02-GR Graphite

1648 €

Width | Depth | Height
201 | 42 | 225 cm
79.1 | 16.5 | 88.6 inch

Lampcollection

//Coral

Design Marco Acerbis

Catalogue page 197

CARATTERISTICHE

Lampade caratterizzate da struttura in alluminio verniciata a polvere in colore bianco (A12) e grafite (A14), con rivestimento in corda sintetica tono su tono grigio scuro (R8) e beige (R28).

Illuminazione led con alimentazione a batteria ricaricabile. Potenza 3W, 7W, 2800°K IP65.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lamps made out of aluminium painted in powder color white (A12) or dark grey (A14), covered with synthetic tone on tone rope dark grey (R8) or beige (R28)

Led lighting with rechargeable battery power supply. Power 3W, 7W, 2800 ° K IP65.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

CORAL LAMP H125 / CODE: CORL01

9,5 KG | 1 UNIT | 0,14 MC | LED 7W 2800K

CORL01-BG
CORL01-GRWhite-rope beige
Graphite-rope dark grey

1836 €

Width | Depth | Height
28 | 28 | 125 cm
11.0 | 11.0 | 49.2 | inch

40" HC - 500 pcs

CORAL LAMP H95 / CODE: CORL02

8,5 KG | 1 UNIT | 0,09 MC | LED 7W 2800K

CORL02-BG
CORL02-GRWhite-rope beige
Graphite-rope dark grey

1486 €

Width | Depth | Height
28 | 28 | 95 cm
11.0 | 11.0 | 37.4 | inch

40" HC - 722 pcs

CORAL LAMP H45 / CODE: CORL03

6 KG | 1 UNIT | 0,04 MC | LED 3,5W 2800K

CORL03-BG
CORL03-GRWhite-rope beige
Graphite-rope dark grey

1.184 €

Width | Depth | Height
28 | 28 | 45 cm
11.0 | 11.0 | 17.7 | inch

40" HC - 1625 pcs

Lampcollection

//Kukà

Design Studio Adolini

Catalogue page 173

CARATTERISTICHE

Lampade e tavoli caffè caratterizzate da un corpo superiore in eco-resina sostenuto da un corpo cilindrico trasparente in PPMA.

Eco-resina disponibile nei colori sand (ER1) e grafite (ER2).

Illuminazione led con alimentazione a batteria ricaricabile. Potenza 3,5W e 7W 2800°K IP65.

Fioriere realizzati in eco-cemento disponibili nelle varianti colore sand (EC1) e grafite (EC2).

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Coffee tables and lamps characterized by an upper frame in eco-resin supported by a transparent cylindrical frame in PPMA.

Eco-resin available in sand (ER1) and graphite (ER2) colors.

LED lighting with rechargeable battery power supply. Power 3,5W and 7W 2800°K IP65.

Planter made of eco-cement available in sand (EC1) and graphite (EC2) colors.

KUKÁ BIG LAMP / CODE: KUKL01



Width | Depth | Height
 23 | 23 | 90 cm
 9.1 | 9.1 | 35.4 inch

7,5 KG | 1 UNIT | 0,07 MC | LED 7W 2800K



KUKL01-G Graphite
 KUKL01-S Sand

1.195 €

KUKÁ MEDIUM LAMP / CODE: KUKL02



Width | Depth | Height
 21 | 21 | 60 cm
 8.3 | 8.3 | 23.6 inch

5 KG | 1 UNIT | 0,04 MC | LED 3,5W 2800K



KUKL02-G Graphite
 KUKL02-S Sand

955 €

KUKÁ SMALL LAMP / CODE: KUKL03



Width | Depth | Height
 16 | 16 | 23 cm
 6.3 | 6.3 | 9.1 inch

1,5 KG | 1 UNIT | 0,01 MC | LED 3,5W 2800K



KUKL03-G Graphite
 KUKL03-S Sand

647 €

KUKÁ COFFEE TABLE D50/ CODE: KUKTC50



Width | Depth | Height
 50 | 50 | 43 cm
 19.7 | 19.7 | 16.9 inch

8,5 KG | 1 UNIT | 0,13 MC | LED 3,5W 2800K



KUKTC50-G Graphite
 KUKTC50-S Sand

1294 €

KUKÁ COFFEE TABLE D80/ CODE: KUKTC80



Width | Depth | Height
 80 | 80 | 33 cm
 31.5 | 31.5 | 13.0 inch

14 KG | 1 UNIT | 0,25 MC | LED 3,5W 2800K



KUKTC80-G Graphite
 KUKTC80-S Sand

1973 €

KUKÁ PLANTER D60/ CODE: KUKP60

33,3 KG | 1 UNIT | 0,22 MC |



KUKP60-G
KUKP60-S

Graphite
Sand

1388 €

Width | Depth | Height
60 | 60 | 60 cm
23.6 | 23.6 | 23.6 inch

KUKÁ PLANTER D40/ CODE: KUKP40

17 KG | 1 UNIT | 0,15 MC |



KUKP40-G
KUKP40-S

Graphite
Sand

1096 €

Width | Depth | Height
40 | 40 | 70 cm
15.7 | 15.7 | 27.6 inch

Lampcollection

//Malè

Design Ludovica + Roberto Palomba

Catalogue page 187

CARATTERISTICHE

Lampade caratterizzate da struttura in polietilene traslucido così da favorire il passaggio della luce, disponibile nei colori bianco (PE1T), tortora (PE2T) e grafite (PE3T).

Basamento in acciaio da 7,5 e 10 kg verniciato a polvere in colore bianco (I4), grafite (I5) e tortora (I6).

Illuminazione led con alimentazione a 220V. Potenza 72W e 144W 4000°K

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lamps characterized by a translucent polyethylene structure so as to facilitate the passage of light, available in white (PE1T), dove (PE2T) and graphite (PE3T).

Base in 7,5 and 10 kg steel powder coated in white (I4), graphite (I5) and dove gray (I6).

Led lighting with 220V power supply. Power 72W and 144W 4000 ° K

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

MALÈ LAMP H190 / CODE: MALL190

23 KG | 1 UNIT | 0,60 MC



- *dimable light
- *stainless base
- *remote control included
- 40" HC -110 pcs

Width | Depth | Height
 52 | 52 | 190 cm
 20.5 | 20.5 | 74.8 inch

MALL190-B-BI	White	(E14 40W max bulb not included)	1627 €
MALL190-B-GR	Graphite	(E14 40W max bulb not included)	
MALL190-B-TO	Dove	(E14 40W max bulb not included)	
MALL190-L-BI	White	(LED 98W 4000K)	2.138 €
MALL190-L-GR	Graphite	(LED 98W 4000K)	
MALL190-L-TO	Dove	(LED 98W 4000K)	

MALÈ LAMP H90 / CODE: MALL90

15 KG | 1 UNIT | 0,26 MC



- *dimable light
- *stainless base
- *remote control included
- 40" HC -250 pcs

Width | Depth | Height
 52 | 52 | 90 cm
 20.5 | 20.5 | 35.4 inch

MALL90-B-BI	White	(E14 40W max bulb not included)	1014 €
MALL90-B-GR	Graphite	(E14 40W max bulb not included)	
MALL90-B-TO	Dove	(E14 40W max bulb not included)	
MALL90-L-BI	White	(LED 48W 4000K)	1349 €
MALL90-L-GR	Graphite	(LED 48W 4000K)	
MALL90-L-TO	Dove	(LED 48W 4000K)	

Lampcollection

//Tod

Design Marco Acerbis

Catalogue page 167

TOD LAMP / CODE: TODLAMP



10 KG | 1 UNIT | 0,12 MC | LED 25W 2800K



TODLAMP-B

White

TODLAMP-N

Black

Width	Depth	Height	
90	90	240	cm
35.4	35.4	94.5	inch

Lampcollection

//Tofee

Catalogue page 205

CARATTERISTICHE

Lampada caratterizzata da struttura in alluminio verniciata a polvere in colore bianco (A12) e grafite (A14).

Lampada orientabile con illuminazione led con batteria ricaricabile. Potenza 7W, 2800-3000°K. IP67.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lamp made out of stainless steel painted in white colour (I4), graphite colour (I5).

Adjustable led light with rechargeable battery. 7W, 2800-3000°K. IP67.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

TOFEE LAMP / CODE: TOF01

1 KG | 1 UNIT | 0,02 MC | LED 2,5W 3000K



TOF01-B

White

246 €

TOF01-G

Graphite



Width	Depth	Height	
11	11	19	cm
4.3	4.3	7.5	inch

Lampcollection

//Tribal

Design Ludovica + Roberto Palomba

Catalogue page 143

CARATTERISTICHE

Lampada caratterizzata da struttura in alluminio verniciata a polvere, rivestita in corda sintetica tono su tono.

Colori disponibili: grigio scuro (R10), gialla (R19), rossa (R21), sabbia (R22), verde petrolio (R23).

Lampada con illuminazione led e batteria ricaricabile. Potenza 3,5W, 7W, 2800°K IP65.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Lamp made out of aluminium painted in powder color, covered with synthetic tone on tone rope.

Available colors: dark grey (R10), yellow (R19), red (R21), sand (R22), teal green (R23).

Led light with rechargeable battery. 3,5W, 7W. 2800°K IP65.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

TRIBAL BIG LAMP/ CODE: TRIB01

11 KG | 1 UNIT | 0,76 MC | LED 7W 2800K



*on request 12/16 weeks

- *TRIB01-GI Yellow
- *TRIB01-VE Teal green
- *TRIB01-R0 Red
- TRIB01-TO Dove
- TRIB01-GR Graphite

2.686 €

Width | Depth | Height
 60 | 60 | 175 cm
 23.6 | 23.6 | 68.9 inch

40" HC - 93 pcs

TRIBAL MEDIUM LAMP/ CODE: TRIB02

4 KG | 1 UNIT | 1,43 MC | LED 7W 2800K



*on request 12/16 weeks

- *TRIB02-GI Yellow
- *TRIB02-VE Teal green
- *TRIB02-R0 Red
- TRIB02-TO Dove
- TRIB02-GR Graphite

1.288 €

Width | Depth | Height
 45 | 45 | 85 cm
 17.7 | 17.7 | 33.5 inch

40" HC - 140 pcs

TRIBAL SMALL LAMP/ CODE: TRIB03

2,5 KG | 1 UNIT | 1,43 MC | LED 3,5W 2800K



*on request 12/16 weeks

- *TRIB03-GI Yellow
- *TRIB03-VE Teal green
- *TRIB03-R0 Red
- TRIB03-TO Dove
- TRIB03-GR Graphite

818 €

Width | Depth | Height
 45 | 45 | 45 cm
 17.7 | 17.7 | 17.7 inch

40" HC - 320 pcs

TRIBAL CELIN LAMP/ CODE: TRIB04

3 KG | 1 UNIT | 0,19 MC | LED 7W 2800K



*on request 12/16 weeks

- *TRIB04-GI Yellow
- *TRIB04-VE Teal green
- *TRIB04-R0 Red
- TRIB04-TO Dove
- TRIB04-GR Graphite

1.274 €

Width | Depth | Height
 45 | 45 | 71 cm
 17.7 | 17.7 | 28.0 inch

40" HC - 140 pcs

MrXcollection

Design Marco Acerbis

Catalogue page 19

- 1 - Copertura massima vela 2,8x2,8 m.
- 2 - Illuminazione led 20W con profilo su trave superiore, alimentazione a batteria ricaricabile estraibile, accensione con telecomando.
- 3 - Alla base dei due pali la struttura è provvista di piastre per l'ancoraggio al suolo tramite tasselli.
- 4 - Apertura con sistema a compasso.
- 5 - Due pali con ruota alla base per facilitare l'apertura della struttura.
- 6 - Sistema di apertura/chiusura vele tramite avvolgitore manuale.
- 7 - Telo 100% PET Tinto Massa idrorepellente da 220 gr/mq

- 1- Maximum coverage of the canopy 2.8x2.8 m.
- 2 - 20W led lighting with profile on upper beam, power supply with removable rechargeable battery, ignition with remote control.
- 3 - At the base of the two poles, the structure is supplied with plates designed for the floor fastening through anchoring dowels.
- 4 - Compass opening system.
- 5 - To facilitate the opening system, the structures is equipped with two rotating poles provided with wheels.
- 6 - Sail opening and closing system with manual cranc.
- 7 - Canopy 100% PET Solution Dyed FR water-repellent 220 gr/mq

Specifiche:

Peso della struttura 60kg

Pali in alluminio con profilo 100x60 mm

Altezza della struttura 230cm

In caso di condizioni avverse avvolgere le vele per evitare danni alla struttura, cose e persone.

Technical specifications:

Structure weight 60kg

Aluminium Pole 100x60 mm

Height of the structure 230cm

In case of bad weather conditions, we strongly recommend to roll up the sails in order to avoid damages to the structure, to objects and persons.

MRX / CODE: MRX01

60 KG | 1+1+1+1 UNIT | 0,5 MC | LED 20W 2800K 220V



MRX01-B

White

9.298 €

MRX01-G

Graphite

Width	Depth	Height	
425	443	230	cm
167.3	174.4	90.6	inch

40" HC - 140 pcs

Parasolcollection

//Apollo

Catalogue page 69

- 1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.
- 2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finchè il meccanismo non si arresta. Ed ecco che l'ombrellone è già aperto.
- 3 - Puntale in alluminio cromato.
- 4 - Basamento in acciaio colore bianco da 40 kg.

- 1 - Canopy 2x2 in 250g polyester with PU coating.
- 2 - Easily parasol opening device; push upwards the parasol roof until the device locks.
- 3 - Chrome-plated alu tip.
- 4 - Steel white base 40 Kg.

Specifiche:

Palo in alluminio ø 34 mm

4 Stecche in alluminio ø 20 mm

Altezza ombrellone 245 cm

Telo UV80+

Basamento in acciaio 40 kg 50x50x2 cm

Resistenza al vento massima 30 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium pole diam. 34 mm

Parasol height 250 cm

No. 4 aluminium ribs diam. 20 mm

UV80+ Canopy


Steel base 40 Kg 50x50x2 cm

Max. wind resistance 30 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

PARASOL APOLLO 2X2

41 KG | 1 UNIT | 0,10 MC



PARAPO-B	White-white fabric	395 €
PARAPO-T	Dove-dove fabric	
PARAPO-G	Graphite-grey fabric	
PARAPO-BSE	Steel base	368 €
PARAPOBSE-T	Steel base dove	
PARAPOBSE-G	Steel base graphite	

Width	Depth	Height	
200	200	245	cm
78.7	78.7	96.5	inch

PARAPO-B-TELO	Canopy 2x2 white	
PARAPO-T-TELO	Canopy 2x2 dove	148 €
PARAPO-G-TELO	Canopy 2x2 grey	
PARAPO-STECCA	Rib set (long+short rib)white	114 €
PARAPO-STECCA-T	Rib set (long+short rib) dove	
PARAPO-STECCA-G	Rib set (long+short rib) graphite	

Parasolcollection

//Athena

Catalogue page 37

- 1 - Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
- 2 - Optional, Illuminazione a batteria ricaricabile.
- 3 - Sistema di apertura retrattile che permette la chiusura vicino al sostegno verticale, ciò avviene mediante guide di scorrimento che facilitano lo spostamento senza fatica.
- 4 - Sistema di apertura e chiusura del telo tramite manovella manuale rimovibile.
Palo girevole che permette all'ombrellone di essere orientato in maniera ottimale a 360°.
- 5 - Optional, illuminazione con impianto audio per collegamento dispositivi bluetooth.
- 6 - Basamento in acciaio colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n.10 piastre in graniglia 50x50x3.5 (pesi non inclusi).

- 1 - Canopy 3x4 in 250 gr polyester with PU coating.
- 2 - Optional, umbrella light with rechargeable battery.
- 3 - Retractable opening system for easy closure near the vertical support, slide guides enable to move it very easily.
- 4 - Canopy opening/closure with manual removable crank handle.
Tilt pole allows parasol 360 degrees rotation.
- 5 - Optional: umbrella bluetooth speaker with led light.
- 6 - Steel base in white or dove colour. For an optimal stability we recommend you to put 10 grit plates 50x50x3.5 (weights not included).

Specifiche:

Palo in alluminio 120x76 mm

7 Stecche in alluminio 20x35 mm

Altezza ombrellone 310 cm

Telo UV80+

Basamento in acciaio 55x133x20 cm

(Pesi esclusi)

Resistenza al vento massima 39-49 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium Pole 120x76 mm

No.7 alu ribs 20x35 mm

Parasol height 310 cm

UV80+ Canopy

Steel base 55x133x20 cm


(weights not included)

Max. wind resistance 39-49 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

PARASOL ATHENA 3X4

85 KG | 1+1 UNIT | 0,57 MC



Width	Depth	Height	
400	300	310	cm
157.5	118.1	122.0	inch

PARATH-B	White-white fabric	2584 €
PARATH-T	Dove-dove fabric	
PARATH-G	Graphite-grey fabric	
PARATH-BSE-B	White steel base	688 €
PARATH-BSE-T	Dove steel base	
PARATH-BSE-G	Graphite steel base	
PARACCLC-G	Light	138 €
PARACCLSPK-G	Light-BT speaker	233 €
PARATH-COV	Cover	98 €
Spare parts:		
PARATH-B-TELO	Canopy 3x4 white	477 €
PARATH-T-TELO	Canopy 3x4 dove	
PARATH-G-TELO	Canopy 3x4 graphite	
PARATH-RIB-B	Rib set (long+short rib) white	161 €
PARATH-RIB-T	Rib set (long+short rib) dove	
PARATH-RIB-G	Rib set (long+short rib) graphite	
PARATH-MAN-B	Crank white	74 €
PARATH-MAN-T	Crank dove	
PARATH-MAN-G	Crank graphite	
<hr/>		
PARACC-INGB-02	Inground base	315 €

Parasolcollection

//Marte

Catalogue page 53

- 1 - Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2 - Optional, Illuminazione a batteria ricaricabile.
- 3 - Sistema di apertura retrattile che permette la chiusura vicino al sostegno verticale.
Sistema di apertura e chiusura del telo tramite manovella manuale rimovibile.
- 4 - Basamento in cemento da 90kg con ruote per facilitare lo spostamento, colore bianco mokka o grafite, in tinta al colore della struttura.
Palo girevole che permette all'ombrellone di essere orientato in maniera ottimale a 360°.
- 5 - Optional, illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1 - Canopy 3x3 in 250g polyester with PU coating.
- 2 - Optional: umbrella light with rechargeable battery.
- 3 - Retractable opening system for easy closure near the vertical support.
Retractable canopy opening system for easy closure through a manual removable crank handle.
- 4 - Concrete base 90 Kg with wheels for easy movement.
Available in white, mokka or graphite colour.
Tilt pole allows parasol 360° degrees rotation.
- 5 - Optional: umbrella bluetooth speaker with led light.

Specifiche:

Palo in alluminio 80x65 mm

7 Stecche in alluminio 28x14 mm

Altezza ombrellone 290 cm

Telo UV80+

Basamento in cemento 90 kg 70x70x8 cm

Resistenza al vento massima 29-38 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium Pole 80x65 mm

No.7 aluminium ribs 28x14 mm

Parasol height 290 cm

UV80+ Canopy

Concrete base 90 Kg70x70x8 cm

Max. wind resistance 29-38 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

PARASOL MARTE 3x3

116 KG | 1+1+1 UNIT | 0,28 MC



Width	Depth	Height	
300	300	290	cm
118.1	118.1	114.2	inch

PARMAR-B	White-white fabric	1258 €
PARMAR-T	Dove-dove fabric	
PARMAR-M	Mokka-dove fabric	
PARMAR-G	Graphite- dark grey fabric	
PARMAR-BSE-B	Cement base white	468 €
PARMAR-BSE-T	Cement base dove	
PARMAR-BSE-M	Cement base mokka	
PARMAR-BSE-G	Cement base graphite	
PARMAR-RT	Wheels	108 €
PARACCLC-G	Light	138 €
PARACCLSPK-G	Light- BT speaker	233 €
PARMAR-COV	Cover	78 €
Spare parts:		
PARMAR-B-TELO	Canopy 3x3 white	332 €
PARMAR-M-TELO	Canopy 3x3 dove	
PARMAR-G-TELO	Canopy 3x3 grey	
PARMAR-RIB-B	Rib set (long+short rib) white	119 €
PARMAR-RIB-T	Rib set (long+short rib) dove	
PARMAR-RIB-M	Rib set (long+short rib) mokka	
PARMAR-RIB-G	Rib set (long+short rib) graphite	
PARMAR-MAN-B	Crank white	74 €
PARMAR-MAN-T	Crank dove	
PARMAR-MAN-M	Crank mokka	
PARMAR-MAN-G	Crank graphite	
PARACC-INGB-01	Inground base	164 €

Parasolcollection

//Venere

Catalogue page 47

- 1 - Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2 - Optional, Illuminazione a batteria ricaricabile.
- 3 - Sistema di apertura retrattile che permette la chiusura vicino al sostegno verticale.
Sistema di apertura e chiusura del telo tramite manovella manuale rimovibile, inclinabile fino a 50° su ambedue i lati.
- 4 - Basamento in granito da 125 kg con ruote per facilitare lo spostamento.
Palo girevole che permette all'ombrellone di essere orientato in maniera ottimale a 360°.
- 5 - Optional, illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1 - Canopy 3x3 in 250g polyester with PU coating.
- 2 - Optional: umbrella light with rechargeable battery.
- 3 - Retractable opening system for easy closure near the vertical support, slide guides enable to move it very easily.
Canopy opening/closure with removable manual crank handle, reclining up to 50 degrees on both sides.
- 4 - Granite base 125 kg with wheels for easy movement.
Tilt pole allows parasol 360° degrees rotation.
- 5 - Optional: umbrella bluetooth speaker with led light.

Specifiche:

Palo in alluminio 90x65 mm

7 Stecche in alluminio 28x14 mm

Altezza ombrellone 280 cm

Telo UV80+

Basamento granito 125 kg 80x80x7 cm

Resistenza al vento massima 29-38 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium Pole 90x65 mm

No.7 aluminium ribs 28x14 mm

Parasol height 280 cm

UV80+ Canopy

Granite base 125 Kg 80x80x8 cm


Max. wind resistance 29-38 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

PARASOL VENERE 3X3



130 KG | 1+1 UNIT | 0,30 MC



PARVEN-A	Aluminium-white fabric	1592 €
PARVEN-G	Aluminium-graphite fabric	
PARVEN-BSE	Granite base	826 €
PARVEN-RT	Wheels	108 €
PARACCLC-G	Light	138 €
PARACCLSPK-G	Light BT speaker	233 €
PARVEN-COV	Cover	78 €

Width	Depth	Height	
300	300	280	cm
118.1	118.1	110.2	inch

Spare parts:		
PARVEN-A-TELO	Canopy 3x3	332 €
PARVEN-RIB-S	Rib set (long+short rib)	119 €
PARVEN-MAN-S	Crank	74 €

Parasolcollection

//Vulcano

Catalogue page 63

- 1 - Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2 - Optional, Illuminazione a batteria ricaricabile.
- 3 - Sistema di apertura retrattile che permette la chiusura vicino al sostegno verticale.
Sistema di apertura e chiusura del telo tramite manovella manuale rimovibile, inclinabile fino a 50° su ambedue i lati.
- 4 - Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x3.5 (pesi non inclusi).
Palo girevole che permette all'ombrellone di essere orientato in maniera ottimale a 360°.
- 5 - Optional, illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1 - Canopy 3x3 in 250g polyester with PU coating.
- 2 - Optional: umbrella light with rechargeable battery.
- 3 - Retractable opening system for easy closure near the vertical support.
Canopy opening/closure with manual removable crank handle, reclining up to 50 degrees on both sides.
- 4 - Steel white cross base, with 4 grit made plates. For an optimal stability we recommend you to put 4 grit plates 50x50x3.5 (weights not included).
Tilt pole allows parasol 360° degrees rotation.
- 5 - Optional: umbrella bluetooth speaker with led light.

Specifiche:

Palo in alluminio 80x60 mm

8 Stecche in alluminio 20x14 mm

Altezza ombrellone 280 cm

Telo UV80+

Basamento con 4 piastre in graniglia

50x50x3.5 cm (pesi esclusi)

Resistenza al vento massima 29-38 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium Pole 80x60 mm

No.8 aluminium ribs 20x14 mm

Parasol height 280 cm

UV80+ Canopy

Base with 4 grit made plates in sizes


of 50x50x4 cm(Weights not included)

Max. wind resistance 29-38 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

PARASOL VULCANO 3X3

24 KG | 1 UNIT | 0,17 MC



Width	Depth	Height	
300	300	280	cm
118.1	118.1	110.2	inch

PARVUL-B
 PARACCLC-G
 PARACCLSPK-G
 Spare parts:
 PARVUL-B-TELO
 PARVUL-RIB-S
 PARVUL-MAN-B

White-white fabric 1031 €
 Light 141 €
 Light- BT speaker 233 €
 Canopy 3x3 266 €
 Rib set (long+ short rib) 84 €
 Crank 58 €

Parasolcollection

//Zeus

Catalogue page 29

- 1 - Telo 3x4 e 4x4 in tessuto da 250g in poliestere trattato in PU.
- 2 - Optional, Illuminazione a batteria ricaricabile.
- 3 - Sistema di apertura retrattile che permette la chiusura vicino al sostegno verticale, ciò avviene mediante guide di scorrimento che facilitano lo spostamento senza fatica.
- 4 - Sistema di apertura e chiusura del telo tramite manovella manuale rimovibile.
Palo girevole che permette all'ombrellone di essere orientato in maniera ottimale a 360°.
Basamento in granito da 180 kg con ruote per facilitare lo spostamento.
- 5 - Optional, illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1 - Canopy 3x4 or 4x4 in 250g polyester with PU coating.
- 2 - Optional: umbrella light with rechargeable battery.
- 3 - Retractable opening system for easy closure near the vertical support, slide guides enable to move it very easily.
- 4 - Canopy opening/closure with manual removable crank handle.
Tilt pole allows parasol 360 degrees rotation.
Granite base 180 kg with wheels, for easy movement.
- 5 - Optional: umbrella bluetooth speaker with led light.

Specifiche:

Palo in alluminio 120x76 mm

7 Stecche in alluminio 20x35 mm

Telo UV80+

Altezza ombrellone 300 cm

Basamento granito 180 kg 80x80x10 cm

Resistenza al vento massima 39-49 km/h

In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:

Aluminium Pole 120x76 mm

No.7 alu ribs 20x35 mm

UV80+ Canopy

Parasol height 300 cm

Granite base 180 Kg 80x80x10 cm

Max. wind resistance 39-49 km/h

In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

Scacco collection

//Partition

Design Ludovica + Roberto Palomba

Catalogue page 211

CARATTERISTICHE

Paraventi caratterizzati da struttura in alluminio verniciata a polvere, rivestita in corda sintetica tono su tono.

Colori disponibili: grigio scuro (R10), beige (R21).

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Partition made out of aluminium painted in powder color, covered with synthetic tone on tone rope.

Available colors: dark grey (R10) and beige (R21).

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist

SCACCO PARTITION H135 / CODE: SCAPAR135

13 KG | 1 UNIT | 0,08 MC



SCAPAR135-BE
SCAPAR135-GR
SCAPAR135-RO

Beige
Dark grey
Red

978 €

Width | Depth | Height
100 | 5 | 135 cm
39.4 | 2.0 | 53.1 inch

SCACCO PARTITION H200 / CODE: SCAPAR200

27 KG | 1 UNIT | 0,12 MC



SCAPAR200-BE
SCAPAR200-GR
SCAPAR200-RO

Beige
Dark grey
Red

1.312 €

Width | Depth | Height
100 | 5 | 200 cm
39.4 | 2.0 | 78.7 inch

Pathcollection

Design Filippo Cagnotto

Catalogue page 235

CARATTERISTICHE

Fioriere con struttura in acciaio inox e verniciatura a polvere, nelle varianti colore bianco (I4) e grafite (I5).

Disponibili in 3 diverse altezze con la possibilità di avere il corrimano.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES


Planters with structure in stainless steel and powder coating, in the colors white (I4) and graphite (I5).

Available in 3 different heights with the possibility of having a handrail.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

PATH PLANTER H85 / CODE: PAT85

29,4 KG | 1+1 UNIT | 0,48 MC



PAT85-BI
PAT85-GR


White
Graphite

1279 €

Width	Depth	Height	
100	40	85	cm
39.4	15.7	33.5	inch

PATH PLANTER H100 / CODE: PAT100

29,7 KG | 1+1 UNIT | 0,54 MC



PAT100-BI
PAT100-GR


White
Graphite

1378 €

Width	Depth	Height	
100	40	100	cm
39.4	15.7	39.4	inch

PATH PLANTER H120 / CODE: PAT120

30,5 KG | 1+1 UNIT | 0,63 MC



PAT120-BI
PAT120-GR


White
Graphite

1472 €

Width	Depth	Height	
100	40	120	cm
39.4	15.7	47.2	inch

PATH PLANTER + HANDRAIL H85 / CODE: PAT85H

35 KG | 1+1 UNIT | 0,58 MC



PAT85H-BI
PAT85H-GR


White
Graphite

1538 €

Width	Depth	Planter H.	Handrail H.	
100	40	85	93	cm
39.4	15.7	33.5	36.6	inch

PATH PLANTER + HANDRAIL H100 / CODE: PAT100H

35,6 KG | 1+1 UNIT | 0,64 MC



PAT100H-BI
PAT100H-GR


White
Graphite

1675 €

Width	Depth	Planter H.	Handrail H.	
100	40	100	93	cm
39.4	15.7	39.4	36.6	inch

PATH PLANTER + HANDRAIL H120 / CODE: PAT120H

30,5 KG | 1+1 UNIT | 0,63 MC



PAT120H-BI
PAT120H-GR

White
Graphite

1774 €

Width	Depth	Planter H.	Handrail H.	
100	40	120	93	cm
39.4	15.7	47.2	36.6	inch

Plaza collection

Design Marco Acerbis

Catalogue page 129

PLAZA COFFEE TABLE D45 / CODE: PLATC45

23 KG | 1 UNIT | 17 MC



PLATC45-BG	Beige	1297 €
PLATC45-GR	Grey	
PLATC45-BL	Blue	

Width	Depth	Height	
45	45	48	cm
17.7	17.7	18.9	inch

PLAZA COFFEE TABLE 80X65 / CODE: PLATC8065

45 KG | 1 UNIT | 30 MC



PLATC8065-BG	Beige	1896 €
PLATC8065-GR	Grey	
PLATC8065-BL	Blue	

Width	Depth	Height	
80	65	35	cm
31.5	25.6	13.8	inch

Accessoriescollection

//Ray

Catalogue page 251

CARATTERISTICHE

Tutti gli articoli sono caratterizzati da una struttura in alluminio verniciata in colore bianco (A12) o tortora (A13).
Tavolo con vassoio estraibile.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

All the items have an aluminum frame which is painted in white colour (A12) or dove (A13).
Table with removable tray.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist

RAY SERVING TABLE SMALL/ CODE: RAYVP

3 KG | 1 UNIT | 0,06 MC



RAYVP-B
RAYVP-T
RAYVP-C


White
Dove
Charcoal

510 €

Width | Depth | Height
60 | 60 | 45 cm
23.6 | 23.6 | 17.7 inch

RAY SERVING TABLE BIG/ CODE: RAYVG

3 KG | 1 UNIT | 0,06 MC



RAYVG-B
RAYVG-T
RAYVG-C

White
Dove
Charcoal

574 €

Width | Depth | Height
60 | 60 | 73 cm
23.6 | 23.6 | 28.7 inch

Showergate collection

Design Marco Acerbis

Catalogue page 229

CARATTERISTICHE

Doccia realizzata con struttura in alluminio e verniciatura a polvere, disponibile in colore bianco (A12) o grafite (A14).

Miscelatore in acciaio inox.

Base della doccia realizzata in legno di accoya tinto in colore natural teak.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Shower made with aluminum structure and powder coating, available in white (A12) or graphite (A14).


Stainless steel mixer.

Shower base made of accoya wood stained in natural teak color.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

SHOWER GATE / CODE: DCCG01

26 KG | 1+1 UNIT | 0,19 MC



DCCG01-B
DCCG01-G

White
Graphite

3.155 €



Width	Depth	Height	
90	100	220	cm
35.4	39.4	86.6	inch

Skylinecollection

Design Ludovica + Roberto Palomba

Catalogue page 05

SKYLINE COMP.1 - 465X280 H240/310 / CODE: SKYCOM1





SKYCOM1-B-T22
 SKYCOM1-GR-T21
 SKYCOM1-BG-T22
 SKYCOM1-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

15.288

Width | Depth | Height
 465 | 280 | 310 cm
 183.1 | 110.2 | 122.0 inch

SKYLINE COMP.2 - 550X280 H240/310/ CODE: SKYCOM2





SKYCOM2-B-T22
 SKYCOM2-GR-T21
 SKYCOM2-BG-T22
 SKYCOM2-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

15.873

Width | Depth | Height
 550 | 280 | 310 cm
 216.5 | 110.2 | 122.0 inch

SKYLINE COMP.3 - 650X280 H240/310/ CODE: SKYCOM3





SKYCOM3-B-T22
 SKYCOM3-GR-T21
 SKYCOM3-BG-T22
 SKYCOM3-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

19.705

Width | Depth | Height
 650 | 280 | 310 cm
 255.9 | 110.2 | 122.0 inch

SKYLINE COMP.4 - 740X280 H240/310/ CODE: SKYCOM4





SKYCOM4-B-T22
 SKYCOM4-GR-T21
 SKYCOM4-BG-T22
 SKYCOM4-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

22.324

Width | Depth | Height
 740 | 280 | 310 cm
 291.3 | 110.2 | 122.0 inch

SKYLINE COMP.5 - 740X465 H240/310 / CODE: SKYCOM5





SKYCOM5-B-T22
 SKYCOM5-GR-T21
 SKYCOM5-BG-T22
 SKYCOM5-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

32.719

Width | Depth | Height
 740 | 465 | 310 cm
 291.3 | 179.5 | 122.0 inch

SKYLINE COMP.6 - 375X465 H240/310 / CODE: SKYCOM6





SKYCOM6-B-T22
 SKYCOM6-GR-T21
 SKYCOM6-BG-T22
 SKYCOM6-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

15.437

Width | Depth | Height
 375 | 465 | 310 cm
 147.6 | 183.1 | 122.0 inch

SKYLINE COMP.7 - 375X550 H240/310 / CODE: SKYCOM7





SKYCOM7-B-T22
 SKYCOM7-GR-T21
 SKYCOM7-BG-T22
 SKYCOM7-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

17.382

Width | Depth | Height
 375 | 550 | 310 cm
 147.6 | 216.5 | 122.0 inch

SKYLINE COMP.8 - 650X375 H240/310 / CODE: SKYCOM8





SKYCOM8-B-T22
 SKYCOM8-GR-T21
 SKYCOM8-BG-T22
 SKYCOM8-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

19.796

Width | Depth | Height
 650 | 375 | 310 cm
 256 | 147.6 | 122.0 inch

SKYLINE COMP.9 - 650X375 H240/310 / CODE: SKYCOM9





SKYCOM9-B-T22
 SKYCOM9-GR-T21
 SKYCOM9-BG-T22
 SKYCOM9-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

20.998

Width | Depth | Height
 650 | 375 | 310 cm
 256 | 147.6 | 122.0 inch

SKYLINE COMP.10 - 925X560/650 H240/310 / CODE: SKYCOM10





SKYCOM10-B-T22
 SKYCOM10-GR-T21
 SKYCOM10-BG-T22
 SKYCOM10-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

37.497

Width | Depth | Height
 925 | 650 | 310 cm
 364 | 256 | 122.0 inch

SKYLINE PARTITION H310/ CODE: SKYMODPAR



SKYMODPAR-B-T22
 SKYMODPAR-GR-T21
 SKYMODPAR-BG-T22
 SKYMODPAR-R-T23

White-taupe
 Graphite-white
 Dove-taupe
 Red

8.167

Width | Depth | Height
 556 | 280 | 240 cm
 218.9 | 110.2 | 94.5 inch

Tikalcollection

Design Nicola De Pellegrini

Catalogue page 219

CARATTERISTICHE

Modulo scaffale 120x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Scaffale con mensole metalliche removibili e regolabili.

Pensile con anta a ribalta 118x36

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Anta a ribalta con maniglia ad incasso gola, apertura 107° e chiusura blumotion. Abbinabile solo al modulo scaffale 120x190.

Modulo scaffale 80x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Scaffale con mensole metalliche removibili e regolabili.

Mobile base 76x72

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Anta a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion.
Abbinabile solo al modulo scaffale 80x190.

Per la manutenzione consultare la scheda uso e manutenzione a partire da pagina 55 del presente listino.

FEATURES

Shelf module 120x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting .
Shelf with removable and adjustables metal shelves.

Suspended cabinet with flap door 118x36

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Flap door with recessed handles, 107° opening and blumotion latch. Only compatible with shelf module 120x190.

Shelf module 80x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Shelf with removable and adjustable metal shelves.


Cabinet base 76x72

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Swing door with recessed handles, fast release 125° opening and blumotion latch. Only compatible with shelf module 80x190.

For maintenance, see the use and maintenance sheet starting from page 55 of this pricelist.

TIKAL SHELF MODULE 120X190 / CODE: TIKSCA120

50 KG | 1 UNIT | 0,1 MC
TIKSCA120



Magnesit


4.722 €



Width | Depth | Height
122 | 35 | 190 cm
48.0 | 13.8 | 74.8 inch

TIKAL SUSPENDED CABINET WITH FLAP DOOR 118X36 / CODE: TIKSCA120-P

20 KG | 1 UNIT | 0,20 MC
TIKSCA120-P



Magnesit


1.475 €



Width | Depth | Height
118 | 35 | 36 cm
46.5 | 13.8 | 14.2 inch

TIKAL N°2 SHELF FOR MODULE 120X35 / CODE: TIKSCA120-M

10 KG | 1 UNIT | 0,04 MC
TIKSCA120-M



Magnesit


812 €



Width | Depth | Height
118 | 35 | 5 cm
46.5 | 13.8 | 2.0 inch

TIKAL SHELF MODULE 80X190 / CODE: TIKSCA80

40 KG | 1 UNIT | 0,09 MC
TIKSCA80



Magnesit


4.034 €



Width | Depth | Height
80 | 35 | 190 cm
31.5 | 13.8 | 74.8 inch

TIKAL CABINET BASE / CODE: TIKSCA80-B

25 KG | 1 UNIT | 0,26 MC
TIKSCA80-B



Magnesit


1.302 €



Width | Depth | Height
76 | 35 | 190 cm
29.9 | 13.8 | 74.8 inch

TIKAL N°2 SHELF FOR MODULE 80X35 / CODE: TIKSCA80-M

8 KG | 1 UNIT | 0,02 MC
TIKSCA80-M



Magnesit


693 €



Width | Depth | Height
80 | 35 | 190 cm
31.5 | 13.8 | 74.8 inch

TIKAL SHELF JOINT KIT + ADDITIONAL PLINTHS: TIKSCA-KIT

2 KG | 1 UNIT | 0,01 MC
TIKSCA-KIT



Magnesit

281 €

Width | Depth | Height
30 | 15 | 6 cm
11.8 | 5.9 | 2.4 inch

USE

&

MAINTENANCE

Maintenance materials

Metalli / Metals

Alluminio: Grazie alla fusione di più leghe di alluminio che ne garantiscono solidità, maneggevolezza ed inattaccabilità alla ruggine, è un materiale di elevata qualità e permette di raggiungere i massimi risultati qualitativi ed estetici.

Inox: L'acciaio inossidabile è un materiale che, grazie alla sua alta resistenza alla corrosione e alle caratteristiche meccaniche di rilievo, risulta maggiormente duraturo e affidabile nel tempo.

Acciaio: Lega di ferro e carbonio con percentuale di carbonio inferiore al 2% trattata per resistere agli agenti atmosferici con il processo della cataforesi e verniciatura a polvere.

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superfici con un panno morbido utilizzando acqua o detersivi neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere. Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Aluminum: Thanks to the fusion of several aluminum alloys that guarantee solidity, manageability and rust resistance, it is a material of high quality and allows to reach the maximum qualitative and aesthetic results.

Inox: Stainless steel is a material that, thanks to its high resistance to corrosion and to the mechanical characteristics of relief, is more durable and reliable over time.

Steel: Iron and carbon alloy with carbon percentage less than 2% treated to resist to the atmospheric agents with the cataphoresis process and powder coating.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.

Maintenance materials

Legni / Wood

Teak: Materiale di elevata qualità ideale per la realizzazione di mobili da esterno perché estremamente resistente ai cambiamenti di temperatura, all'acqua, all'umidità e alla salsedine.

Accoya è una nuova varietà di legname di eccezionale durabilità, questo legno dalle elevate prestazioni viene prodotto con materie prime sostenibili e gestite in maniera ottimale, non è tossico ed è inoltre dotato di una stabilità dimensionale e di una durabilità in grado di superare quella dei migliori legni duri tropicali.

Trattandosi di un materiale naturale si potrebbero osservare variazioni di colore o anche crepe dovute al grado di umidità ed ai bruschi cambiamenti di temperatura. Qualora non ricevesse alcun trattamento di manutenzione, mediante l'applicazione periodica di comuni e specifici protettivi a base olio, la superficie potrebbe prendere una patina grigio argento che potrà essere eliminata con una leggera carteggiatura superficiale e successiva lucidatura con panno di iuta. Piccole macchie superficiali dovute ad olio o altri prodotti alimentari dovranno essere rimosse tempestivamente, prima che il legno possa assorbirle in profondità, carteggiando la superficie interessata e lucidandola successivamente con un panno di iuta.

Teak: High quality material suitable for outdoor furniture because it is extremely resistant to changes in temperature, water, humidity and saltiness.

Accoya is a new variety of wood characterized by an exceptional durability. This wood shows very good performances and is produced with sustainable raw material, managed in an optimal way. It is not toxic and it has got a dimensional stability. Its durability is much higher than the one of the best hard tropical wood.

Being a natural material, colour variations or even cracks due to the degree of humidity and sudden changes in temperature may be observed. If no maintenance treatment is received, through the periodic application of common and specific protective oil-based, the surface may take a silver-gray patina that can be easily removed with a light surface sanding down and subsequent polishing with a jute cloth. Small superficial stains due to oil or other food products must be removed promptly, before the wood can absorb them in depth, sanding down the affected surface and then polishing it with a jute cloth.

Maintenance materials

Corde sintetiche / Synthetic ropes

Doppia treccia costruita con anima in poliestere e copertura in propilene multi filamento.
La fibra esterna di cui è composta è impermeabile e resistente ai raggi UV.

Si raccomanda di pulire con prodotto neutro e panno non abrasivo.

Double braid made with polyester core and multi-filament propylene cover.
The external fiber is waterproof and resistant to UV rays.

It is recommended to clean with a neutral product and a non-abrasive cloth.

Cinghie elastiche / Elastic belt

Ottenute mediante la tessitura di materiali sintetici studiati per permettere di essere usata all'esterno.

Si consiglia di evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venir assorbite dal materiale di rivestimento e dare luogo, di conseguenza, a macchie permanenti e rischiare di deteriorare la struttura del filato. Si consiglia di evitare l'utilizzo di solventi.

Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro ed incolori.

Obtained through the weaving of synthetic materials especially conceived outdoor use.

We recommend to avoid prolonged contact with greasy substances and / or dyes which could be absorbed by the covering material used and consequently cause permanent stains and risk to deteriorate the structure of the yarn. It is advisable it is suggested to avoid the use of solvents. Use water and non-abrasive liquid detergents with neutral PH and colourless.

Maintenance materials

Tappeti / Carpets

I tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa. Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un'elevata stabilità ai raggi UV.

Manutenzione quotidiana: aspirapolvere senza spazzole.

Manutenzione periodica: lavaggio a secco o pulizia a vapore.

Macchie: tamponare con un panno pulito; agire con detergenti specifici seguendo attentamente le istruzioni del produttore.

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial.

The PP yarn ensures an excellent performance in terms of long-lasting durability, weather and UV rays resistance.

Daily cleaning: vacuum cleaner without brushes.

Deeper cleaning: professional dry cleaning or steam cleaning.

Stains: pat the area with a clean cloth; use specific detergents following the manufacturer's instructions.

Gres porcellanato / Porcelain stoneware

Il gres porcellanato, grazie alle sue eccellenti proprietà fisiche e meccaniche, risulta essere ideale per uso esterno, essendo inattaccabile dagli agenti atmosferici e inalterabile ai raggi UV. Tale materiale viene ottenuto tramite il processo di sintetizzazione di argille ceramiche, feldspati, caolini e sabbia.

Per la pulizia dei piani in gres si consiglia l'utilizzo di un panno inumidito con acqua e detergente neutro da risciacquare ed asciugare con un panno asciutto. Nella fase di lavaggio porre particolare attenzione al fine di evitare l'accumulo di sporco o calcare.

Porcelain stoneware, thanks to its excellent physical and flexural strength, turns out to be ideal for outdoor use, being unaffected by atmospheric agents and unalterable to UV rays. This material is obtained through the synthesis process of ceramic clays, feldspars, kaolins and sand.

For the cleaning of stoneware tops it is advisable to use a damp cloth with water and a neutral detergent to be rinsed and dried with a dry cloth. During the washing phase, pay particular attention to avoid the accumulation of dirt.

Maintenance materials

100% Polietilene traslucido / 100% Translucent polyethylene

Il polietilene è un materiale plastico molto adatto all'arredo esterno. Ha una superficie particolarmente pratica, lavabile, resistente ai raggi UV e agli agenti atmosferici nel corso del tempo. Ha un'elevata resistenza agli urti, una resistenza eccellente alla corrosione e ai prodotti chimici.

Non è penetrabile da liquidi come acqua, soluzioni saline o alcool.

Non utilizzare acidi ossidanti, quali acido Nitrico, acido solforico o alogeni.

Polyethylene is a plastic material that is perfectly suitable for outdoor furniture. Its surface is particularly practical, washable, UV and weather-resistant over the time.

Not penetrable by liquids such as water, salt solutions or alcohol, this material stands out also for its high-impact resistance and its excellent resistance to corrosion and chemicals.

Do not use oxidising acids, such as nitric acid, sulphuric acid or halogens.

Eco-resina & Eco-cemento / Eco-resin & Eco-cement

Eco-resina e Eco-cemento sono un mix di materiali 100% ecologici che riducono di oltre 2/3 il peso rispetto al tradizionale cemento, conservando la naturalezza e l'aspetto materico dello stesso.

Eco-Resina è una resina acrilica naturale a base d'acqua, non teme il gelo e la lunga esposizione al sole.

Tutti gli articoli trattati con più strati di vernici all'acqua, quindi tutto a basso impatto ambientale.

Eventuali imperfezioni legate a tonalità di colore, cavillature superficiali o porosità corrisponderanno allo standard e non saranno per tanto ritenute valide eccezioni in merito.

Pulire con un panno umido senza utilizzare solventi troppo aggressivi.

Non è penetrabile da liquidi come acqua, soluzioni saline o alcool.

Eco-resin and Eco-cement are a mix of 100% eco-friendly materials. Compared to traditional concrete, they are characterized by a reduced weight by more than 2/3, while preserving the naturalness and the material aspect of the cement.

Eco-Resin is a natural, water-based acrylic resin, resistant to frost and to long exposure to the sun.

All items are treated with several coats of water-based paints, guaranteeing a low environmental impact.


Any imperfection related to shades of color, surface cracks or porosity will correspond to the standard and will not be considered valid exceptions in this regard.

For proper maintenance it is recommended to clean it with a damp cloth avoiding the use of aggressive solvents.

It is not penetrable by liquids such as water, salt solutions or alcohol.

Maintenance materials

Cover



Realizzato con un accoppiato in 3 strati. I due strati esterni sono di propilene ed hanno funzione sia estetica, sia di protezione della membrana interna. La membrana interna è il tessuto tecnico che svolge la maggior parte del lavoro e che ha le proprietà di permeabilità all'aria e impermeabilità. Lavaggio: acqua e sapone, no lavaggio a macchina o a secco.

- Composizione tessuto: polipropilene
- Peso del tessuto: gr 170 circa
- Resistenza alla lacerazione (chiodo):
N(MD) 180 - norma EN12310-1
- Resistenza alla penetrazione d'acqua:
mm 1200 - norma EN 1928
- Permeabilità all'aria I/(mq-s):
norma EDANA 140.2-99
- Trasmissione del vapore acqueo: Sd value m 0,051 - norma EN 12752.
- Protezione contro i raggi UV 500/1000 ore

It is made of three coupled layers. The external ones are made of propylene whose function is not only the aesthetic one, since it also protects the internal membrane. Such membrane is the technical fabric that plays the most important role: the permeability to air and the impermeability. Washing: to wash with soap and water, do not wash in washing machine or dry cleaning.

- Composition of the fabric: propylene
- Weight of the fabric: about gr 170
- Resistance to laceration (nail):
N(MD) 180 - EN12310-1 Standard
- Resistant to water penetration:
mm 1200 - EN 1928 Standard
- Resistance to air penetration I/(mq-s):
EDANA 140.2-99 Standard
- Water vapor transmission: Sd value m 0,051 - regulation EN 12752.
- protection against UV 500/1000 hours

Maintenance materials

Prodotti / **Products**

ACCIAIO / STEEL - USO E MANUTENZIONE / USE AND MAINTENANCE



Poly Cleaner

Poly Cleaner Detergente concentrato adatto per le superfici in pvc, vetro, metallo. Non usare su pelle, nabuk e scamosciati.

Poly Cleaner is a concentrated detergent it is suitable for pvc, glass, steel. Do not use on leather, nubuk or suede.

€ 29,00

ALLUMINIO / ALUMINIUM - USO E MANUTENZIONE / USE AND MAINTENANCE



Poly Cleaner

Poly Cleaner Detergente concentrato adatto per le superfici in pvc, vetro, metallo. Non usare su pelle, nabuk e scamosciati.

Poly Cleaner is a concentrated detergent it is suitable for pvc, glass, steel. Do not use on leather, nubuk or suede.

€ 29,00

TEXTILENE - USO E MANUTENZIONE / USE AND MAINTENANCE



Poly Cleaner

Poly Cleaner Detergente concentrato adatto per le superfici in pvc, vetro, metallo. Non usare su pelle, nabuk e scamosciati.

Poly Cleaner is a concentrated detergent it is suitable for pvc, glass, steel. Do not use on leather, nubuk or suede.

€ 29,00

GENERAL CONDITIONS OF SALE DELIVERY INCLUDED

1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti Spa reserves the right to discontinue or change the models in its collections at any time without advance notice.

2. The prices of the standard models are expressed in the specific price list that Talenti Spa will provide. Concerning customized items the offer will be immediately made and provided by Talenti Spa on request of the customer.

Prices are ex works. In case of delivery with hydraulic bank the quotations of our freight forwarder will be applied.

3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti Spa will not accept any claims presented more than 5 (five) days after receipt of the goods.

4. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.

5. Transport terms in France, Germany, Switzerland, Austria:

Free port for orders starting from € 1.800,00.

For orders under € 600,00 a € 80,00 transport fee will be charged.

For orders from € 600,00 to € 1.800,00 a 8 % transport fee will be charged.

6. Transport terms in UK:

Free port for orders over € 3.000,00.

For orders from € 0 to € 1.000,00 a € 90,00 transport fee will be charged.

For orders from € 1.000,00 to € 3.000,00 a 5 % transport fee will be charged.

7. The Court of Terni (Italy) will be exclusively competent for any disagreements.

For different Countries please refer to Talenti sales-managers

NOTICE UNDER DL 196/2003, THE PRIVACY LAW

Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection. Your information will be handled to fulfil our administrative, accounting and tax obligations and to fulfil our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.

The owner of the information for handling purposes is Talenti Spa, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy. You may contact the owner to assert your rights under article 7 of DL 196/2003.